



# Product

---

# book

---

**Client : DFE**

**Project : Lot 3- Bleacher Seating**

# Contents

Item 1 - Auditoria RS2 - Upholstered chairs	3-4
Item 2 - Auditoria RS24 - Upholstered bench seat and back	5-6

# Hall

## Item 1 - Auditoria RS2 - Upholstered chairs

### Compliant with DFE specification:


Bleachers (to seat 240) with upholstered seat and back or upholstered benching with back.

- a. Rubber wheels.
- b. Epoxy powder coated mild steel frame
- c. Wooden deck.
- d. Handheld low voltage pendant control unit.
- e. Soft start mechanism.
- f. 240 no. polypropylene retractable chairs with automatic sprung seat brackets or benching, minimum 300mm depth to seat 240 no. pupils, fully upholstered with folding backrest.
- g. Self storing safety rails, minimum 1100mm high, at ends of each row and rear of unit where appropriate.
- h. Fully welded EPC steel platform with minimum 19mm board.
- i. Steps, thick pressed steel, EPC finish. Aisle/gangway and intermediate steps, non-slip nosing fixed to front edge, integral photo luminescent strips.
- j. Automatic row latching on all columns at floor level, vertical restraints at high level.
- k. 4 no. wheels for each column foot Front fascia fitted to the front of each platform, minimum 15mm MDF
- l. Chairs manually folded down onto platforms on fully welded steel frame.


Fascia panels, drapes, carpets, front rails and rear rails priced against design drawings for each requirement.

### Warranty:


Mechanism: 25 years (annual service requirement)  
Fabric and seats: 10 years



\* REDUCED TREAD SPACE MAY MEAN FACIA PANEL OPTION IS NOT AVAILABLE



Sample images showing options of upholstered chairs.



# Hall

## Item 2 - Auditoria RS24 - Upholstered bench seat and back

Compliant with DFE specification:


Bleachers (to seat 240) with upholstered seat and back or upholstered benching with back.

- a. Rubber wheels.
- b. Epoxy powder coated mild steel frame
- c. Wooden deck.
- d. Handheld low voltage pendant control unit.
- e. Soft start mechanism.
- f. 240 no. polypropylene retractable chairs with automatic sprung seat brackets or benching, minimum 300mm depth to seat 240 no. pupils, fully upholstered with folding backrest.
- g. Self storing safety rails, minimum 1100mm high, at ends of each row and rear of unit where appropriate.
- h. Fully welded EPC steel platform with minimum 19mm board.
- i. Steps, thick pressed steel, EPC finish. Aisle/gangway and intermediate steps, non-slip nosing fixed to front edge, integral photo luminescent strips.
- j. Automatic row latching on all columns at floor level, vertical restraints at high level.
- k. 4 no. wheels for each column foot Front fascia fitted to the front of each platform, minimum 15mm MDF
- l. Chairs manually folded down onto platforms on fully welded steel frame.


Fascia panels, drapes, carpets, front rails and rear rails priced against design drawings for each requirement.

Warranty:

Mechanism: 25 years (annual service requirement)  
Fabric and seats: 10 years



Sample images showing options of upholstered seats



**Bramley**

Units 5 & 7 Bramley Business Park,  
Raisfeld Rise, Bramley, Leeds, LS13  
3SA T: 0113 255 9555

**Macclesfield**

Brunel Road, Lyme Green Business Park,  
Macclesfield, SK11 0TA  
T: 01625 431979

**Bolton**

Interiors House, 2 Cranfield Road,  
Lostock, Bolton, BL6 4SB  
T: 01204 691008

**Leeds**

Green Sand Foundry,  
99 Water Lane, Leeds, LS11 5QN  
T: 0113 220 6000

